

This sample manual is intended to help you, our customer, see the quality of our products.



916 Wesley Road
Knoxville, TN 37909
USA

865-584-7340

www.topskills.com/flitsim.htm

Our Books Stand Out

Books aren't all the same. Ours have important features that many others lack. We strive to produce a quality product that you will find beneficial and easy to use.

- ! Our books are well written by professionally trained and experienced writers. Too many materials offered free on the Internet are poorly written by amateurs lacking skills in written communication.
- ! Topics are organized into logical chapters for easy comprehension. Although this is a typical feature of books, too many materials offered free on the Internet are not organized logically.
- ! Every chapter is numbered and titled. Again, a lot of Internet materials are not conveniently chaptered and referenced.
- ! The chapter page and title are shown on the top of every page for easy reference.
- ! The book title is at the bottom of every page for easy reference. This is handy when you're reading several books and lose track of which book you're reading at the moment.
- ! All pages of our books are numbered. A lot of books offered on the Internet are not numbered on every page, which makes finding information difficult.
- ! Every graphical aid is numbered and captioned for reference. Too many Internet materials are not conveniently referenced.
- ! The books are fully indexed to make finding information easy and quick. A lot of official aviation books are not indexed! That makes finding details impossible.
- ! A new, easy-to-read font is used. It's the same font style and size used by major newspapers for its clarity and easy of reading.
- ! Our manuscripts are independently referenced by experts for technical accuracy and edited and proofread by professional editors. These

independent reviews by people who were not involved in writing the books ensures their quality. Too many Internet freebies are obviously unedited.

- ! Our books are printed and bound by quality-minded professionals. We have not had to replace a book for physical defects in many years.
- ! Your satisfaction is guaranteed. If you find any manufacturing defects, your book will be replaced at no cost to you. If our books are not what we say they are, you may return them for a refund. Nothing could be safer than this!

It's easy to see that not all books are the same, that our books are worth what we ask for them, and that materials offered free on the Internet are not always bargains.



916 Wesley Road
Knoxville, TN 37909
USA

865-584-7340

www.topskills.com/flitsim.htm

Flight-Sim Navigation

by Bill Stack

Nels Anderson, Technical Consultant

Copyright © 1997, 1999, 2002, 2003

Bill Stack and TopSkills
916 Wesley Road
Knoxville, TN 37909-2663
United States of America
(865)-584-7340

Protected by international copyrights. All rights reserved. No part of this book may be reproduced by any means without written permission from Bill Stack and Training Associates.

Printed in the United States of America

Chapter 1

Navigation Fundamentals

Navigating accurately in your flight simulator requires keeping a few fundamentals in mind. Dismissal of these fundamentals as “too basic” or taking any of them for granted can result in navigation errors of many miles or kilometers. The longer your flights, the greater difference these errors will make. The fundamental navigation features that underlie everything else you will do are position, direction, time, speed and altitude.

Position

Position is a specific location on the Earth or in its atmosphere, usually expressed in relation to other known positions. The world-wide system for determining position is meridians/parallels, which comprise a global grid of north/south and east/west lines. Positions are expressed in relation to lines on that grid. The same system is used for all aircraft — both on the surface and at any altitude.

Meridians, parallels, latitude and longitude are commonly used in aviation navigation, so a clear understanding of their definitions and relations to one another is always crucial.

Meridians. Meridians are north/south great circles dissecting the globe and intersecting at the north and south poles. They appear vertical on north-oriented maps. There are 360 of these circles. The distance between each meridian is one

Chapter 2 Aviation Charts

- Official aviation charts are fully explained for realistic simulation.




Figure 2-E: Example of an Enroute Chart

Chapter 3

Planning and Preparation

Estimate Fuel Needs. Professional pilots calculate the flight time and fuel consumption as accurately as possible. Having enough fuel is both a legal requirement and a smart practice. Pilots are required to carry enough fuel to reach their destination, plus 30 minutes worth of additional fuel when flying visually and 45 minutes when flying on instruments. Pilots who appreciate life, health and their aircraft make sure they have enough fuel before they embark on any flight, legal requirements notwithstanding. Carrying too much fuel, however, slows the aircraft, puts undue strain on the engine and wastes fuel, time and money. None of these risks is real in flight simulators, so only your sense of realism requires calculating time and fuel. Computing fuel needs is explained in chapter 4, “Pilotage and Dead Reckoning.”

Check Enroute Elevations. Elevations along your route can affect your courses and altitudes. You will have to maintain minimum safe altitudes throughout your flight. You might have to fly over or around busy airports and high mountains.

Chapter 4

Pilotage and Dead Reckoning

Pilotage and dead reckoning are two basic visual navigation methods. Pilotage is simpler; dead reckoning is a little more complicated. This chapter presumes clear weather, because visual flight rules are not permitted in poor visibility. Furthermore, this chapter assumes calm air for the simplest explanations of these navigational methods. Considering and compensating for winds in navigation is explained in chapter 6, “Wind Compensation.”

PILOTAGE

Pilotage is flying from one visible fix to another using only a visual chart for reference. You depend on your own eyesight and the atmosphere's clarity. You can use an aviation chart to help you locate the points, or you can use familiar landmarks if you know the terrain along the route. Any visible landmarks will do — mountains, rivers, lakes, highways, buildings, farms, islands, coastlines and airports.

Because pilotage doesn't require advanced instruments or complicated computations, it is the simplest and most elementary form of navigation in aviation. It

Chapter 5

Radio Navigation

Omnibearing Indicator

The omnibearing indicator (OBI) is the instrument on which you read your VOR signals. When the needle is centered, you are aligned with the VOR radials shown in the top and bottom of the instrument. The words "to" and "from" mean that you are heading to or from the heading shown on top. They prevent pilot misunderstandings, confusion and disorientation, all of which can and do happen during instrument flights. Figure 5-C shows the omnibearing indicator.

You can use the OBI to track to or from any VOR in range. When you are flying toward the VOR, set your OBI to the "to" reading and hold that heading. When you are flying away from the VOR, set your OBI to the "from" reading and hold that heading. Use the distance measuring equipment (DME) to determine whether you are flying closer toward or farther from a VOR station. Correct your OBI "to/from" settings accordingly.

Chapter 6

Wind Compensation

All winds affect your flight course and duration. Whenever you have winds and turbulence engaged in your flight simulator, you will be constantly challenged to correct for them and stay on course. To compensate for these differences, pilots use the wind triangle, which is explained in this chapter. Apply these techniques to the navigation principles and methods explained in the previous chapters. Figure 6-A shows wind effects on aircraft.

WIND DYNAMICS

Winds are dynamic, meaning their actions affect and are affected by one another. Pilots are concerned with direction, speed, altitude and variances.

Wind Directions

Pilots are concerned with head, tail, cross and vertical winds and combinations of them because of their effects on flights. Figure 6-B shows relative wind directions.

Chapter 7

Air Route Navigation

For long-range instrument flight, air traffic routes are the safest, most efficient courses to follow. United States routes are explained in this book, and routes in other countries are similar. Your maximum simulation experience calls for your using these air routes as closely as you can on all your long-range cross-country flights.

Airways and Route Systems

Airways and route systems are courses established by authorities and followed by pilots as highways in the skies. The two systems of concern to flight simulator pilots are VOR airways and jet routes.

VOR Airways. VOR airways extend from 1,200 AGL up to but not including 18,000 MSL. They are based on VOR navigational aids. They are depicted on en route low-altitude charts. VOR airways are shown in blue on aeronautical charts and identified by a “V” followed by the route number.

Jet Routes. Jet routes extend from 18,000 MSL up to and including flight level 45. They too are based on VOR navigational aids. They are depicted on en

Chapter 8

Global Positioning System

The global positioning system (GPS) is a space-based radio positioning, navigating and time-transfer system. It provides a highly accurate positioning, velocity and time information on a continuous global basis to any pilots with approved equipment. It has been available to general aviation since 1994, it is becoming more and more widely used by general-aviation pilots, and it will be the electronic navigation system of the future.

Because of GPS's global availability, nearly total accuracy, ease of use and relatively low cost, it is quickly becoming the primary electronic navigation system. It is commonly used in VFR navigation, and it is becoming more common for IFR navigation. It will eventually replace VOR, NDB and DME for electronic navigation, but this will be several years from now. Currently, it supplements these navigation systems overall and replaces some of them in a few areas. Waypoints are taking the place of nav aids as en route and instrument approach fixes. Some aviation writers opine that GPS will ultimately eliminate the need for the current airway system. ILS will still be used because of its greater precision for landing approaches.

This book explains GPS generally. It does not explain any specific GPS device from any manufacturer.

Chapter 9

Long-Range Navigation

San Francisco to Honolulu

This oceanic flight requires an aircraft that can remain airborne for this trip of 2,085 nautical miles (3,861 kilometers). Typical single-engine aircraft are inadequate for this flight, because their range is about one third the distance between San Francisco and Honolulu. Consequently, this trip is limited to business jets and commercial airliners and similar aircraft. It will take about six or seven hours in a business jet and about five hours in a commercial airliner.

From San Francisco, head approximately 250 toward Hawaii. Use dead reckoning to check your position en route about every hour, and compare it to your needed course. At a given airspeed and heading, you should be at certain locations every 30 minutes. About five hours after departure, you should be close enough to the Hawaiian islands to receive their VORs. Adjust your course accordingly. Then join the Hawaiian airspace and proceed to Honolulu along their air routes.

SAMPLE

SAMPLE

YOUR SATISFACTION WITH THIS BOOK IS GUARANTEED!

If this book is physically defective, we will replace it.

If you can show that this book is not as described on our web site (www.topskills.com/flitsim.htm), we will refund your purchase price.

Nothing can be safer or more fair than this.

Get a Free V-Speed Card

V-speeds are a series of velocities designated by aviation authorities. Some are minimums, some are maximums, and some are optimums.

For example, "Vne" means the designated velocity should never be exceeded (it differs for each aircraft).

Your V-speed card lists the most common general-aviation V-speeds in two easy-to-find ways – alphabetically on one side and by velocity on the other side. Each V-speed is identified by name and abbreviation and explained in clear language. These cards are a handy size for using at your flight simulator.

You will get a V-speed card free with every order of flight-sim books from TopSkills! This is author Bill Stack's way of saying "Thank You."

V SPEEDS By General Velocity			
Name	Abbr.	Type	Description
Power-Off Stalling Speed	V _{SO}	Minimum	Power-off stalling speed. The minimum speed for safe operation.
Design Maneuvering Speed	V _D	Maximum	Design maneuvering speed. The maximum speed for safe operation.
Power-on Stalling Speed	V _{SO1}	Minimum	Power-on stalling speed. The minimum speed for safe operation with engine power.
Design Cruise Speed	V _C	Optimum	Design cruise speed. The optimum speed for cruise flight.
Maximum Ramp Speed	V _{RE}	Maximum	Maximum ramp speed. The maximum speed for taxiing on the ramp.
Maximum Operating Speed	V _{MO}	Maximum	Maximum operating speed. The maximum speed for level flight.
Maximum Structural Speed	V _{NE}	Maximum	Maximum structural speed. The maximum speed for any flight condition.
Maximum Landing Gear Speed	V _{LE}	Maximum	Maximum landing gear speed. The maximum speed for landing gear operation.
Maximum Cabin Pressure Speed	V _{CO}	Maximum	Maximum cabin pressure speed. The maximum speed for cabin pressure operation.
Maximum Fuel System Speed	V _{FS}	Maximum	Maximum fuel system speed. The maximum speed for fuel system operation.
Maximum Propeller Speed	V _{PO}	Maximum	Maximum propeller speed. The maximum speed for propeller operation.
Maximum Airframe Speed	V _{AF}	Maximum	Maximum airframe speed. The maximum speed for airframe operation.
Maximum Wing Speed	V _{WS}	Maximum	Maximum wing speed. The maximum speed for wing operation.
Maximum Tail Speed	V _{TS}	Maximum	Maximum tail speed. The maximum speed for tail operation.
Maximum Landing Gear Extension Speed	V _{LE}	Maximum	Maximum landing gear extension speed. The maximum speed for landing gear extension.
Maximum Landing Gear Retraction Speed	V _{LR}	Maximum	Maximum landing gear retraction speed. The maximum speed for landing gear retraction.
Maximum Fuel System Operation Speed	V _{FS}	Maximum	Maximum fuel system operation speed. The maximum speed for fuel system operation.
Maximum Propeller Operation Speed	V _{PO}	Maximum	Maximum propeller operation speed. The maximum speed for propeller operation.
Maximum Airframe Operation Speed	V _{AF}	Maximum	Maximum airframe operation speed. The maximum speed for airframe operation.
Maximum Wing Operation Speed	V _{WS}	Maximum	Maximum wing operation speed. The maximum speed for wing operation.
Maximum Tail Operation Speed	V _{TS}	Maximum	Maximum tail operation speed. The maximum speed for tail operation.

QUALITY FLIGHT-SIM BOOKS FROM



Flight-Sim Maneuvers

Master the correct ways to take off, climb, fly straight and level, turn, climb while turning, descend, turn while descending, fly airport traffic patterns, approach to land and land. See how pilot judgment is affected by altitude, speed and other factors during these maneuvers. Learn what not to do in performing these maneuvers. Plenty of step-by-step explanations, graphical demonstrations and exercises.

Flight-Sim Navigation

Fly anywhere in your flight simulator with ease. Navigation concepts, methods and terms used by real-world pilots are applied to PC flight simulation to enable flight-sim pilots fly cross country precisely and on time. Plenty of step-by-step explanations, graphical demonstrations and exercises.

Flight Simulator Flight Plan Forms

Manage your flights as professional pilots do with formal plans. Lay out your routes and waypoints. Indicate your origin, en route and destination airports. Check VFR or IFR flight. Cite departure and arrival times. Record your estimated duration. And much more. Pads of 50 and 100 forms.

Instrument Flying for Flight-Simulation Pilots

Fly through any weather conditions anytime using instruments as real pilots do. Read cockpit instruments and know what they are telling you. Adhere to IFR requirements and restrictions. Execute instrument procedures properly and safely. Use instrument charts and flight plans for safe and timely flights. Detailed explanations, numerous graphical depictions and many practical exercises.

Jet Simming

Enjoy the challenges and rewards of simming in heaviest, most powerful aircraft. Know the fundamentals of jet simming. Easily read advanced jet panels and instruments. Use jet V speeds. Plan and prepare your jet flights – just as real-world jet pilots do. Practice with realistic exercises. All this and more in 300 pages – our biggest flight-sim book.

Top Performance

Get the most from your flight-sim aircraft using the same techniques and procedures real-world pilots use. Know your aircraft's abilities and limits, calculate weight and balance, determine fuel needs, learn to use real performance charts, plan your flights and much more. Detailed explanations, numerous graphical depictions and many practical exercises.

www.topskills.com/flitsim.htm